

# ABS 95/75 HG



Sample image

**Order symbol :** ABS 95/75 HG

**Product nr :** 6081332

**Description :** Enclosure, ABS


**Remarks :** High base, grey cover

**Including :** Base with PUR gasket. screws for mounting plate/DIN-rail and cover with polyamide cover screws.

**EAN :** 6418074054722

**El. number :**

- Finland : 3421382
- Denmark : 8212023990
- Sweden : 6081332



**Dimensions :**

	Height	Width	Depth
mm :	100	100	75
inch :	3.94	3.94	2.95

**Materials :**

Material :	ABS
Base colour :	RAL 7035 -light grey
Cover colour :	RAL 7035 -light grey
Gasket material :	Polyurethane

**Accessories :**

MIN 8	DIN-15 Mounting rail, for enclosures: (80 x 15 x 1)
B-3	DIN-35 Mounting rail, for enclosures: (80 x 35 x 1)
FP 22046	Wall fastening lug (4 pcs)
MIV 95	Mounting plate (Galvanized steel), for enclosures: (66 x 80 x 1)

**Rating :**

Ingress protection (EN 60529):	IP66; IP67;
--------------------------------	-------------

**Temperatures :**

Temperature °C (short term) :	-40 ... 80
Temperature °C (continuous) :	-40 ... 60
Temperature °F (short term) :	-40 ... 175
Temperature °F (continuous) :	-40 ... 140

Impact Resistance (EN 62262):	IK07;
Electrical insulation :	Totally insulated
Halogen free (DIN/VDE 0472, Part 815):	1
UV resistance :	-
Flammability Rating :	UL 94 HB
Glow Wire Test (IEC 695-2-1) °C :	650 °C
NEMA Class	

**Certificates :**

Certificate FI 40847